

Performance & Quality Test Report

VARTA CR 2025

Uns. Ref. | Product Testing
 Telefon | +49 7961 83 586
 Fax | +49 7961 83 73 586
 Datum | 17.03.2020
 E-Mail | marco.hammer@
 eu.spectrumbrands.com

VARTA Consumer Batteries | Alfred-Krupp-Straße 9
 | 73479 Ellwangen | Germany

Battery size: CR 2025

label: VARTA CR 2025 (6025)

1. Battery Discharge Performance

Following results have been obtained in accordance with requirements of IEC 60086-2

IEC Designation	Test Designation	Load Profile	End Point Voltage	Test Duration according IEC	Test Result
CR 2025	Service Output	24h 15000 Ohm	2.00	830 hours	OK
	Electronic Key Test	5s/60 24h/d 10mA	1.80	12 hours	OK

2. Battery Safety and Reliability

Following results have been obtained in accordance with requirements of UL 60086-4:

Test Matrix	Requirements	Results
Altitude	No Explosion, no fire	ok
Thermal cycling	No Explosion, no fire	ok
Vibration	No Explosion, no fire	ok
No Explosion, no fire	No Explosion, no fire	ok
External Short circuit	No Explosion, no fire	ok
Impact	No Explosion, no fire	ok
Crush	No Explosion, no fire	ok
Forced discharge	No Explosion, no fire	ok
abnormal charging	No Explosion, no fire	ok
Free fall	No venting, no Explosion, no fire	ok
Thermal abuse	No Explosion, no fire	ok
Incorrect installation	No Explosion, no fire	ok
Overdischarge	No Explosion, no fire	ok